



# ***FLOMORE***®

***American Made.  
American Proud.***

## ***Product Summary***

***[www.flomore.com](http://www.flomore.com)***

***Richart Distributors Inc  
3415 S. I-35 Service Rd  
Oklahoma City, OK 73129  
1-866-843-5654  
[sales@flomore.com](mailto:sales@flomore.com)***



Flomore Products are American made chemical injectors, valves, and accessories available SAME DAY!

Richart Distributors, Inc. was founded in 1965 in Oklahoma City, Oklahoma. Since 1965, the company has been a vital distributor of quality-made products, service, and customer satisfaction. In 1990, Richard Pickens decided to form his very own line of quality, affordable products. The Flomore product line is an innovative and groundbreaking line of chemical injectors, valves, and accessories.

Flomore is a large corporation with multiple warehouses and pump service dealers across the United States and Canada, with international business growing every day.

Flomore has set the bar for the competition by having the ability to quickly process and ship orders on the same day. We thrive in providing the best service possible by constantly testing and improving product capabilities and quality.

# Chemical Injectors

## 1300 Series

The 1300 Series injector is designed to utilize the motion of the walking beam of a pumping unit and inject small amounts of chemicals per day (less than a pint to a few quarts with injection pressures up to 1500 PSI). This injector may be double headed with different size plungers.



## 3000 Series Solar

Our 3000 Series is a positive displacement solar pump powered by solar panels creating environmentally friendly energy. The 3000 Series includes a crosshead design, with plunger stroke adjustment, easily changing the distance traveled by the plunger by using a plunger pin. The Flomore Bottom Alignment Bar with two sealed bearings creates a straight line motion for the crosshead to travel, maximizing efficiency. This design saves energy usage from the battery. Our standard model includes a 100 watt panel, 12/12 regulator, battery box, deep cell battery, pole type stand, adjustable timer with temperature control adjustable from 0°F - 50°F, and a correctly sized pump to meet your requirements.



## 3400 Series


The Flomore 3400 Series is electric driven and can have 1-4 heads ran by a single motor and gear reducer (30 SPM or 60 SPM). Each fluid end is adjustable while the pump is running. This injector is available in 5 different plunger sizes that will pump between 2 GPD minimum (3/8" head) and 880 GPD maximum (1 1/4" head) from 500 PSI up to 7500 PSI. The 3400 Series comes standard with stainless steel heads. Ductile iron heads are available upon request.





# ***Chemical Injectors***

## ***3500 "Wolf" Series***




The Flomore 3500 "Wolf" Series pumps are electric driven, positive displacement pumps utilizing C-faced motors and common gear reducers. The 3500 can be configured as a Simplex, Duplex, Triplex, or Quadplex utilizing one gear reducer and motor. The gear reducers are available in 30 and 60 strokes per minute configurations. The 3500 Series can fill many application requirements of different flows and pressures.




## ***3800 Series***

The design for the 3800 Series is probably the oldest pneumatically (air or gas) driven injector. It can be double headed with different or same size plungers in order to handle different chemicals at different rates and pressures.



## ***4400 Series***

Our 4400 Series is an electric driven injector that can utilize any of the 4 available plunger sizes or three gear ratios with a single head or up to eight heads for a combination of pressure and volume requirements, driven by one motor. The volume pumped can be changed with a simple turn of a micrometer knob from 0-100% of capacity. Also available in corrosion resistant trim.






# ***Chemical Injectors***

## ***4500 Series***

The Flomore 4500 Series injector features 3/4" and 1" plungers and can be dual headed. These electric driven injectors can handle pressures up to 300 lbs. with volumes up to 1300 GPD. Plunger material is 17-4 stainless with Armaloy surface or ceramic coated.




## ***5020 Series***

The 5020 Series is one of two diaphragm, gas driven injectors we offer. This injector is typically used to inject methanol in larger quantities and higher pressures (up to 12,000 PSI with hard packing, 1/4" head) at the Christmas tree and at lower pressures in gas processing and pipeline applications. Also used to deliver corrosion inhibitor where needed.




## ***5200 Series***

The 5200 Series injector is our other diaphragm, gas driven, plunger pump. It is designed to handle less volume and lower pressures (up to 6000 lbs.). This injector has the least amount of moving parts of any other comparable pump. Stainless steel, o-ring type, bottom and upper seating materials are offered as well as metal-to-metal seats.



# Chemical Injectors

## 6200 Series



The 6200 series pump consists of a series of basic pump options all developed from a modular power unit. All units are pneumatically driven, positive displacement, single or double acting reciprocation pumps. This pump is used offshore on platforms and onshore at gas plants.




Flomore's Model 2000 Tank Gauge utilizes a simple push-pull operation for test (push) run (pull). All metal parts are 303 or 304 stainless steel. The movable level indicator is also made from stainless steel, which means it will not be affected by sunlight or break like an o-ring.

### Tank Gauge

## Drum/Pump Setting Gauge

Flomore's 200.01 and 400.01 Drum Gauge assemblies (pictured) are available in standard, plastic, or stainless steel construction. Gauges consist of our 55 gallon 300 series drum gauge mounted on a 9" 316 stainless steel nipple with a 1/4" female nipple for vertical chemical pump installation.



## Gauge Glass

Our "Unified" gauge glass is manufactured for fluid sight level work in a wide range of applications. Highly chemical and corrosion resistant borosilicate glass noted for its clarity and strength. Redline or clear, 12"-72" available in various thickness.



Flomore glass guards are 18-gauge aluminum for maximum protection with minimum weight. Available in 24", 36", and 48" lengths. Also available with our proprietary anti-rust coating to ensure long-lasting protection from the elements.



## Glass Guard



# Flomore Valves

## Swing Checks

The Flomore ductile and steel threaded end swing check valves meet MR-01-77 NACE standards. 1"-4" are available with pressure ranges from 300-2000 psi WOG. The standard seal material is Buna-N (180° F). We can also trim with Flomore's "Coldseal" to -50° F and to 400° F with Viton. Standard clapper material is carbon steel and we also offer 17-4 stainless steel in the 1" and 2" valves. The 3" and 4" valves have a ductile iron clapper.



## Ball Checks

The Flomore ductile iron, carbon steel, and stainless steel ball checks can be trimmed with a Viton seal assembly for elevated temperatures and chemical resistance. Because of Mr. Pickens' design difference, our ball check can be used next to a compressor without beating the ball out of the valve. Standard trim is stainless steel ball, Buna-N seal with stainless support member. Available in 1/2", 3/4", 1", and 2" sizes and pressures up to 2000 pounds in ductile or 5000 pounds in WCB Carbon Steel.

## Carbon Steel Swing Checks

Our Investment Cast Carbon Steel Swing Check valves have threaded ends, material specification ASTM A-216 WCB Carbon Steel available in working pressures from 2000#, 3000#, 3600#, and 5000# in 1" and 2" sizes. Buna-N seals are standard (180° F Max). Optional Viton seals are available (400° F Max). Standard clappers are ASTM A-216 WCB with 316 SS clappers optional.





# ***Flomore Accessories***



## ***Line Checks***

Inline Check Valves are available in brass, 303, 304, or 321 stainless steel and inconel. Several types of seating material are available including Buna-N, Viton, Teflon, Aflas, Kalrez, or metal to metal. Inline Checks are available in 1/8", 1/4", 3/8", and 1/2" sizes with pressure ranges from 3,000-15,000 psi.

---

## ***Atomizing Nozzles***

The 1/4" female x 1/2" male NPT stainless steel atomizing nozzle does a great job of putting the methanol or scale inhibitor into the gas stream as a mist, the most effective and least costly method of delivering the product into the flow. The orifice size is 0.060 in. and the core size is 225.



---

## ***Contact Us***

**Byron Guinn**  
Senior Sales Consultant  
(405) 843-5654  
byron.guinn@flomore.com

**Matt Duncan**  
Production Manager  
(405) 843-5654  
matt.duncan@flomore.com

**Scott "Coach" Mick**  
Outside Sales/Business Development  
Office: (405) 843-5654  
Cell: (405) 343-7322  
scott.mick@flomore.com

**Chris Smith**  
Purchasing Manager/Inventory Control  
(405) 843-5654  
chris.smith@flomore.com

# ***Product Representatives***

## **Cardon Sales Company, LLC.**

[www.cardonsales.com](http://www.cardonsales.com)



Main Sales Office  
Factory Warehouse  
213 Cummings Road  
Broussard, LA 70518  
(337) 839-1704  
Bruce Cardon - Owner  
Cell: (337) 280-3157  
[bcardon@cardonsales.com](mailto:bcardon@cardonsales.com)

Sales Office  
Kilgore Warehouse  
820 South Commerce  
Kilgore, TX 75662  
(903) 984-3070  
Jessie Harris - Sales Rep.  
Cell: (903) 424-6580  
[jharris@cardonsales.com](mailto:jharris@cardonsales.com)

Sales Office  
Houston Sales Office  
5757 Addicks Satsuma Rd.  
Houston, TX 77084  
(713) 870-8765  
Ted Clark - Corporate Sales Manager  
[tclark@cardonsales.com](mailto:tclark@cardonsales.com)

## **Patterson Equipment Sales, Inc.**

1610 S. Regal Avenue  
Odessa, TX 79763  
(432) 332-3345  
Chad Patterson - Owner  
[chad@pattersononequipsalesinc.com](mailto:chad@pattersononequipsalesinc.com)  
Britt Vickers - Sales  
[britt@pattersononequipsalesinc.com](mailto:britt@pattersononequipsalesinc.com)



## **Rocky Mountain Oilfield Warehouse**



Casper Location  
414 South Elm St.  
Casper, WY 82601  
(307) 266-2260  
Phillip Cooper  
[sales@rmow.com](mailto:sales@rmow.com)

Fort Morgan Location  
731 Burlington Ave.  
Fort Morgan, CO 80701  
(970) 867-2778  
Jeremy Horton  
[Jeremyh@rmow.com](mailto:Jeremyh@rmow.com)

Rock Springs Location  
2901 Killpecker Drive  
Rock Springs, WY 82901  
(304) 382-2076  
Kevin Wright  
[Kevinw@rmow.com](mailto:Kevinw@rmow.com)

# ***Product Representatives***

## **Rep Sales, Inc.**



Olney Location  
1124 S. Whittle Ave.  
Olney, IL 62450  
1 (800) 274-2003  
Jim Mowrey  
jim@repsales.net

Midvale Location  
3545 Brightwood Rd. SE  
Midvale, OH 44653  
(740) 922-1557  
Nadine Liggett

## **MCM Industrial Solutions, LLC.**

25112 167th Ave. SE  
Covington, WA 98042  
(253) 350-4878  
Mike Maresh - Owner  
mike@mcmindustrialsolutions.com





# ***Pump Service Dealers***

## **M&M Equipment Company**

P.O. Box 1293  
Great Bend, KS 67530  
(620) 792-3162  
Mike Johnson  
mkj@mandmequipment.com

## **Moore's Pump & Services, Inc.**

P.O. Box 746  
Broussard, LA 70518  
(337) 837-2794  
Scotty Roy  
sroy@moorepump.com

---

## **Pruitt Production Service**

P.O. Box 808  
Giddings, TX 78942  
(979) 542-5104  
Jay Pruitt  
pruittproduction@pruittpsi.com

## **RDM Equipment Co, Inc.**

P.O. Box 169  
1141 Mechanicsburg Rd.  
Wooster, OH 44691  
(330) 264-8808  
Joel@RDMEquipment.com

---

## **RKT Operating, LLC.**

211 Industrial Dr.  
Longview, TX 75602  
(903) 686-0284  
Keith Tidwell - Owner  
Lee Hampton - Shop

## **Speed Specialty**

3010 Kermit Highway  
Odessa, TX 79764  
(432) 333-2711  
Dean Kyer  
support@speedspecialtyodtx.com

# ***Pump Service Dealers***

## **T&J Valve**

Johnny Fowler - Owner

### **Artesia Location**

412 E. Main  
Artesia, NM 88210  
(575) 746-2287

### **Big Lake Location**

55 W. 11th St.  
Big Lake, TX 76932  
(325) 884-1024

### **Big Spring Location**

700 E. 3rd  
Big Spring, TX 79720  
(432) 606-5090

### **Carlsbad Location**

425 S. Main  
Carlsbad, NM 88220  
(575) 706-0013

### **Hobbs Location**

1306 W. Broadway St.  
Hobbs, NM 88240  
(575) 393-8019

### **San Angelo Location**

5798 Old Christoval Rd.  
San Angelo, TX 76904  
(325) 716-1506

### **Odessa Location**

1313 W. 2nd St.  
Odessa, TX 79763  
(325) 812-5137

---

## **Vesco Supply Company**

Brian Hogue - Owner  
[www.vesco-inc.com](http://www.vesco-inc.com)  
[vesco@reagan.com](mailto:vesco@reagan.com)

### **Woodward Location**

211 48th St.  
Woodward, OK 73801  
(580) 256-2569

### **Watonga Location**

210 W. Russworm Dr.  
Watonga, OK 73772  
(580) 623-5547

### **Liberal Location**

6501 North Hwy 83  
Liberal, KS 67905  
(620) 624-8318

### **Canadian Location**

10919 U.S. Highway 60  
Canadian, TX 79014  
(803) 323-8323

# ***Pump Service Dealers***

## **Canadian Territory Pump Service Dealer**

### **Zimco Instrumentation**

11141 15 Street NE

Calgary, AB T3K 0Z5

Ron Becker - General Manager

(403) 253-8320

[ron.becker@zimco.ca](mailto:ron.becker@zimco.ca)

Curtis Anheliger - Inside Sales

(403) 253-8320 ext. 244

[curtis.anheliger@zimco.ca](mailto:curtis.anheliger@zimco.ca)

---

## **International Master Distributor**

### **Houma Valve Service**

1909 Coteau Road

Houma, LA 70364

(985) 879-3594

Richard Bergeron

[Houmavalve@teche.net](mailto:Houmavalve@teche.net)

[www.houmavalve.com](http://www.houmavalve.com)



*Richart Distributors, Inc.*

Manufacturers of **FLOMORE** products

3415 S. I-35 Service Road  
Oklahoma City, Ok 73129  
405/843-5654 fax 405/619-3007  
[www.flomore.com](http://www.flomore.com)

May 14, 2009

I think it is time for someone to call to the attention of our customers and our friends, the danger we are facing, when we deal in import products, it is a never ending down hill slide.

Right now "American Made" products are under attack by much lesser priced items from China.

We as a business (Oil and Gas Industry) do not need anything, regardless of price from China. Wake up friends, we are in a desperate struggle with a communist nation, who seek to destroy the capitalistic countries of the world and the USA would be at the top of their list.

So if we all decide to lower our prices to compete with imports that means we must also compete at the wage scale. I reduce my pay to my employees to less than .25 cents per day, cut off their 401K insurance benefits, no holidays, no sick leave, no fun at the work place. Then I have to convince all my raw material suppliers that they also should follow suite and so on down the line. It would effect every American, yes even you. So now I have got all this done! Now what do I have? China America, is that what we want? I DO NOT. Therefore I am not going to send US dollars to someone who wants me and my friends to live in extreme poverty.

There are a number of good companies that can provide you with quality, USA made products at a reasonable price, if you choose not to stock and sell Flomore products that certainly is your choice, but please buy American Made.

Sincerely,



Richard L. Pickens  
CEO

# ***Notes***



## Corporate Office

### **Richart Distributors, Incorporated**

3415 S. I-35 Service Rd.

Oklahoma City, OK 73129

(405) 843-5654

Rex Haymaker - Executive Vice President

Cell: (405) 206-4807

Rex.Haymaker@flomore.com

## Branch Office

### **Flomore @ North Dakota**

533 East Villard Suite B

(701) 483-8267

Robert Olson


(701) 226-7814

roberto@rmow.com

**Our Mission:** Richart Distributors, Inc. is committed to supplying American made, quality products utilizing American workers and American foundries. In all areas of the organization, our goal is to continue to deliver excellence, strive for continual improvement with an "Always Forward" mentality, and provide the best service possible to ensure maximum quality, efficiency, and customer satisfaction.

"With an eye to the future and a commitment to excellence, Richart Distributors proudly manufactures American made products." - Richard Pickens

Thank you for choosing superior-quality,  
American-made Flomore Products.



**Made in the U.S.A.**

